

### ZC-665



#### *Product description:* **CONTACT CLEANER**

#### **FEATURES:**

- ▶ A multi-functional azeotrope with a non-ozone depleting formulation (no CFC's or HCFC's)

#### **KEY BENEFITS:**

- ▶ Safe for use on plastics
- ▶ Very low surface residue
- ▶ Low toxicity levels
- ▶ Very effective in solubilizing a select range of soils and surface contaminants
- ▶ Non-flammable (Ingredients)
- ▶ VOC exempt (Ingredients)
- ▶ Low GWP
- ▶ Low odor
- ▶ Fast evaporation
- ▶ Highly efficient (Ingredients)
- ▶ Exhibits an extremely low solubility of moisture
- ▶ High density of **ZC-665** coupled with its low viscosity and low surface tension, results in it coating surfaces evenly and penetrating into complex geometries
- ▶ Can be applied directly into problem areas to loosen, lift, and flush away light deposits of undesirable oils, greases, and oxide build-up



Rev: 29117A  
12-01-2021

### ZC-665



## Product description: CONTACT CLEANER

### SPECS:

- Boeing BAC 5402
- Boeing BAC 5750
- MIL-STD-1330D

### APPLICATIONS:

- ✓ Ideal for use on electronic components and energized circuits
- ✓ Use in applications, such as the displacement drying and cleaning of water sensitive components
- ✓ Available in aerosol as **D-5665NS**
- ✓ For heavier duty degreasing applications, use **Sur-Prep® 5672**

### PHYSICAL PROPERTIES:

- ▶ **Appearance:** Clear / Colorless
- ▶ **Boiling Point (°C):** 60
- ▶ **Composite Vapor Pressure @ 23°C (73°F):** 0 mm of Hg
- ▶ **Dielectric Strength Constant @ 25°C (77°F) (Oil In Gap):** 28 KV<sup>9</sup>
- ▶ **Flash Point (°C):** None
- ▶ **Liquid Density (g/ml):** 1.50
- ▶ **Low Heat of Vaporization (cal/g):** 0.28
- ▶ **O-Zone Depletion:** 0.00
- ▶ **Surface Tension (Dynes/cm):** 13.60



# Sur-Prep®

**SURFACE PREPARATION & AVIONICS CLEANERS**

**ZC-665**



*Product description:*

## **CONTACT CLEANER**

---

### **PHYSICAL PROPERTIES:**

- ▶ **Viscosity (cps):** 0.61
  - ▶ **VOC:** None
- 

### **AVAILABLE PACK SIZES:**

- ▶ 16 fl oz (473 ml) Aerosol-002074
- ▶ 5 Gallon (18.9L) Pail-002158
- ▶ 55 Gallon (208L) Drum-007571
- ▶ Special Packaging Upon Request

 For more information contact us :  
[zipchem@addevmaterials.com](mailto:zipchem@addevmaterials.com)

